




*Increase your Profits
with Accurate Weight Measurement*



Pitless Truck Scale


Flat Top Series

Sooner Scale introduces major breakthroughs in truck scale weighing. New technology provides improved accuracy and a lower profile scale. They are installed above ground for economical reliable performance.



Features

- For above ground or pit type installation
- No moving parts
- Fully electronic
- Steel or concrete deck
- Pitless design ideal in areas with high water tables, underground cables or pipelines
- Low profile, modular design
- Minimal maintenance
- Weather resistant
- Available in various lengths and widths
- NTEP approved, C of C #95-089
- 100 ton capacity
- Top access to load cells and junction boxes
- Easily expandable



Specifications



- 60,000 lb. stainless steel hermetically sealed load cells
- Double link suspension
- Steel deck with 1/4" checkered steel
- Rigid checking, bumper bolts or self checking available
- Available in various lengths and widths
- 15" deck height
- 4" clearance under deck
- Conduit and junction box is factory installed

Options

- Wide choice of ticket or tape printers
- Computerized truck scale ticketing and reporting system
- Extra-wide models and heavy-duty off-road vehicle models
- Heavy duty livestock racks
- Remote readout
- Portable options available
- Automatic axle weighing systems
- Custom sizes available

Side Rail Series

Our Side Rail scale is a major breakthrough in truck scale weighing. It is a highly accurate, low profile scale, and is installed above ground for economical and reliable performance.



Features

- Fast, economical installation
- No pit to clean or pump
- No moving parts
- Fully electronic
- Steel or concrete deck
- Low profile, modular design
- Minimal maintenance
- Weather resistant
- Pitless design ideal in areas with high water tables, underground cables, or pipelines
- Available in various lengths and widths
- NTEP approved, C of C #92-039
- Conforms to OSHA/MSHA regulations
- Up to 160,000 lb. capacity

Specifications


- 27" x 84 lb. WF side girders
- 8" x 15 lb. cross members
- 60,000 lb. stainless steel hermetically sealed load cells
- Double link suspension
- Concrete deck is 7 3/4" thick
- Steel deck is 3/8" checkered steel
- Rigid checking, bumper bolts or self checking available
- Available in various lengths and widths
- 12" deck height
- 5" clearance under deck
- Conduit and junction box factory installed

Options

- Wide choice of ticket or tape printers
- Computerized truck scale ticketing and reporting system
- Extra-wide models and heavy-duty off-road vehicle models
- Heavy duty livestock racks
- Remote readout
- Portable options available
- Automatic axle weighing systems
- Pit type design available

- 100% bank financing because there's no construction costs
- Buy & sell at your own farm or ranch
- Easy to set up, easy to use
- Can be permanently installed or placed on a stable foundation for temporary use
- Composite rubber flooring with traction cleats
- No pit to clean or pump out
- NTEP approved, C of C #95-039
- Combination truck / cattle available

- 100% bank financing because there's no construction costs
- Buy & sell at your own farm or ranch
- Easy to set up, easy to use
- Can be permanently installed or placed on a stable foundation for temporary use
- Composite rubber flooring with traction cleats
- No pit to clean or pump out
- NTEP approved, C of C #95-039
- Combination truck / cattle available



- Four - 10,000 lb. tension load cells, 200% overload protection
- One - 4 cell adjustable output junction box
- Digital weight display to meet your specific needs
- Sizes from 4' x 10' up to 24' x 10' available

- Four - 10,000 lb. tension load cells, 200% overload protection
- One - 4 cell adjustable output junction box
- Digital weight display to meet your specific needs
- Sizes from 4' x 10' up to 24' x 10' available

- Ticket printer
- Variations on length and width
- AC/DC Inverter - enables scale operation with 12V battery
- Custom gates and gate configurations
- Custom sizes available

- Ticket printer
- Variations on length and width
- AC/DC Inverter - enables scale operation with 12V battery
- Custom gates and gate configurations
- Custom sizes available

Unique design features

reveal Sooner Scales quality from top to bottom.



Non-slip texture on platform floor provides excellent footing for animals in livestock scale. Animals move easier, and the process reduces stress for livestock.



Sturdy, secure gate latch on livestock scale eliminates accidental opening. Spring loaded slam latch automatically locks when closed.



Installation on concrete pad is precisely placed to allow free unobstructed movement. Scale platform rests squarely on load cell to allow precision weighing every time.



Flat top scale platforms can be fitted with optional side rails to ensure accurate drive-on loading. Side rails ensure all truck wheels are completely on the platform.




A trailer option is available for portable livestock scales. Trailers are tandem axle and include rolling tail-bar, with a 12 Volt winch.

Other equipment we provide

Radial Stacker Conveyor

- 36' deep truss conveyor frame, 3" x 3" x 1/4" cord angle, 2" x 2" x 1/4" lattice
- Lagged 16" head pulley with 2 7/16" shaft, bushings and bearings
- Winged 14" tail pulley with 2 7/16" shaft, bushing and bearings
- #4 gear reducer with back stop
- #4 V-belt drive system complete with sheaves and belts
- 35° 5" diameter, CEMA B flat return idlers
- 5" diameter CEMA B flat return idlers
- 2 ply, 220 piw, 3/16" x 1 1/2" conveyor belting with belt fasteners
- Receiving hopper with skirt rubber

- Pivot plate
- Tail guard
- Primed
- Tow hook
- Screw type take-up



Portable Flat Top Scale

- Self-contained scale for temporary setup
- Steel ramps and approaches available
- 10' - 12' widths, 10' - 30' modules
- Pre-assembled deck modules for easy installation, expansion, and relocation
- Rentals
- 200,000 lb. capacity



Combo Truck & Livestock Scale

- Heavy duty livestock racks and end gates
- 10' - 12' widths, 10' - 100' long
- Custom racks and gate configurations available
- Digital weight indicator to meet your specific needs
- Custom sizes available



Sooner Scale, Inc.

2428 S.W. 14th Street • P.O. Box 82386
Oklahoma City, OK 73148
Phone: 405-236-3566 • 800-759-3444